# WORLD INTELLECTUAL PROPERTY ORGANIZATION



# INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification <sup>5</sup> :		(11) International Publication Number:	WO 91/11173
A61K 9/12, 9/72	A1	(43) International Publication Date:	8 August 1991 (08.08.91)
(21) International Application Number: PCT.  (22) International Filing Date: 30 January 1	/GB91/00	Road, Loughborough, Leices	hilip; Fisons plc, 12 Derby tershire LE11 0BB (GB).

GB

GB

(71) Applicant (for all designated States except US): FISONS PLC [GB/GB]; Fiston House, Princes Street, Ipswich, Suffolk IP1 1QH (GB).

2 February 1990 (02.02.90)

31 October 1990 (31.10.90)

5 December 1990 (05.12.90)

(72) Inventors; and (75) Inventors; and
(75) Inventors/Applicants (for US only): STEELE, Gerald [GB/GB]; 13 Ashleigh Drive, Loughborough, Leicestershire LE11 3HN (GB). SOMANI, Asit [GB/GB]; 29 Glebe Street, Loughborough, Leicestershire LE11 1JR (GB). LIM, Joseph, Geok, Paan [MY/GB]; 17 Windsor Drive, Shepshed, Leicestershire LE12 9QR (GB). (81) Designated States: AT (European patent), BE (European patent), CA, CH (European patent), DE (European patent), CA, CH (European patent), DE (European patent), ES (European patent), ES (European patent), GR (European patent), GR (European patent), IT (European patent), JP, LU (European patent), NL (European patent), SE (European patent), US.

#### **Published**

With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(54) Title: PROPELLANT COMPOSITIONS

#### (57) Abstract

(30) Priority data:

9002351.6

9023655.5

9026476.3

7

-]

Pressurised aerosol composition comprising a liquified hydrofluorocarbon propellant containing substantially no non-hydrofluorocarbon solvent, having dispersed therein a medicament and a fluorinated surfactant. Preferred surfactants include FC 430 and FC 431.

### FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	ES	Spain	MG	Madagascar
AU	Australia	FI	Finland	ML	Mali
BB	Barbados	FR	France	MN	Mongolia
8E	Belgium	GA	Gabon	MR	Mauritania
BF	Burkina Faso	GB	United Kingdom	MW	Malawi
BG	Bulgaria	GN	Guinca	NL	Netherlands
BJ	Benin	GR	Greece	NO	Norway
BR	Brazil	HU	Hungary	PL	Poland
CA	Canada	IT	Italy	RO	Romania
CF	Central African Republic	JP	Japan	SD	Sudan
CG	Congo	KP	Democratic People's Republic	SE	Sweden
CH	Switzerland		of Korea	SN	Senegal
CI	Côte d'Ivoire	KR	Republic of Korea	SU	Soviet Union
CM	Cameroon	LI	Liechtenstein	TD	Chad
cs	Czechoslovakia	LK	Sri Lanka	TG	Togo
DE	Germany	LU	Luxembourg	US	United States of America
DK	Denmark	MC	Monaco		

- 1 -

Propellant Compositions

ì

5

This invention relates to pressurised aerosol compositions, in particular compositions of inhalation medicaments.

Pressurised aerosols for the administration of medicaments, and indeed for other applications, conventionally contain one or more liquified chlorofluorocarbons (CFC's) as propellant. Such materials are suitable for use in such applications since they have the right vapour pressures (or can be mixed in the right proportions to achieve a vapour pressure in the right range) and are essentially taste- and odour-free.

about the depletion of the ozone layer in the upper
atmosphere. This is believed to be due to the release into
the atmosphere of CFC's and has led to a search for
alternative agents for use in all applications of CFC's.
To this end, aerosols for many applications are now
pressurised using pressurised gases such as nitrogen or
hydrocarbons. However, such propellants are generally not
suitable for use in the administration of inhalation
medicaments since they are toxic and/or the pressure within
the canister falls each time the device is used which leads
to unreproducible dosing.

The use of hydrofluorocarbons as aerosol propellants

has also been suggested. European Patent Application 0 372 777, published after the earliest priority date of this application, states that the use of the hydrofluorocarbon propellant 134a and drug as a binary mixture or in 5 combination with a conventional surfactant such as sorbitan trioleate does not provide formulations having suitable properties for use with pressurised inhalers and suggests that satisfactory formulations may be made by adding a compound having a higher polarity than propellant 134a, such as pentane or ethanol. It is stated that the addition of a compound of higher polarity than propellant 134a to propellant 134a provides a mixture in which increased amounts of surfactant may be dissolved compared to their solubility in propellant 134a alone. It is further stated 15 that the presence of increased amounts of solubilised surfactant allows the preparation of stable, homogenous suspensions of drug particles. The use of such co-solvents is undesirable since they may have unsuitable properties, for example, they may be flammable and/or toxic.

20 US Patent No 4352789 suggests the use of perfluorinated surfactants which are insoluble in CFC or perfluorinated propellants as a coating for finely divided medicament to be formulated in CFC or perfluorinated propellants.

25 Surprisingly, we have now found that mixtures of

- 3 -

hydrofluorocarbons and fluorinated surfactants have properties which render them suitable for use as propellant systems for aerosol compositions.

Thus, according to the invention there is provided a pressurised aerosol composition comprising a liquified hydrofluorocarbon propellant containing substantially no non-hydrofluorocarbon solvent, having dispersed therein a medicament and a fluorinated surfactant.

advantageous in that the solubility of the surfactant is such as to ensure good dispersion of the medicament and smooth operation of the aerosol valve. In particular, and in contrast to EP-A-O 372 777, the surfactants which characterise the present invention are sufficiently soluble in hydrofluorocarbons to enable them to be used without the presence of an additional substance as co-solvent.

The propellant mixtures of the present invention may also be advantageous in that they are substantially taste-and odour-free and have suitable vapour pressures for the administration of medicaments by inhalation, yet are environmentally safe and acceptable, especially when compared with compositions including chlorofluorocarbons. In addition, they may be less irritant than corresponding compositions including conventional surfactants such as oleic acid and sorbitan trioleate.

A wide range of fluorinated surfactants may be used in the compositions of the present invention. The surfactant may be perfluorinated or otherwise.

Perfluorinated surfactants which may be used include

ionic surfactants, both anionic and cationic, eg

perfluorinated alcohol phosphate esters and their salts,

perfluorinated sulphonamide alcohol phosphate esters and

their salts, and perfluorinated alkyl sulphonamide alkylene

quaternary ammonium salts. However, we prefer surfactants

which are non-ionic.

Other surfactants may be used which, while not perfluorinated as such, contain at least one perfluorinated alkyl group.

We prefer surfactants which contain at least one  $(CF_2)$  group, more preferably from 2 to 60, eg 5 to 20 such groups.

We prefer surfactants which contain one or more ether or carboxylic ester linkages, more preferably from 2 to 60, eg 4 to 10 such linkages. We particularly prefer compounds which contain both ether and ester linkages.

We prefer surfactants which contain at least one (CH<sub>2</sub>) group, more preferably from 2 to 60, eg 5 to 20 such groups. We further prefer surfactants which contain at least one (OCH<sub>2</sub>CH<sub>2</sub>) group, more preferably from 2 to 30, eg 3 to 10 such groups.

ş

Preferred non-ionic surfactants include, for example fluorinated alcohols, esters, amides, N-oxides or sulphonamides. We particularly prefer polyfluoroalkyloxyethylenes of the general formula

5  $C_mF_{2m+1}CH_2(OC_2H_4)_nOH$  in which m is an integer from 7 to 18 and n is an integer from 2 to 6. Other preferred surfactants include:

 $(CF_3)_2CFO(CF_2)_zCONH(CH_2)_3N(O)(CH_3)_2$ ,

 $(CF_3)_2CFOCF_2CF_2CH_2CH_2(OCH_2CH_2)_2OH_2$ 

in which z is an integer from about 2 - 20,  $CF_3CF_2CF_2O(CF(CF_3)CF_2CF_2O)_nCF_2CF_2CF_3,$ 

in which n is an integer from about 10 - 60.

Further examples of preferred surfactants are the following:

The fluoroaliphatic polymeric esters known as FC 430 and FC 431, available from 3M. These are believed to be acrylic polymers having a fluorinated portion based on

- and a portion including an ethylene/propylene oxide block copolymer. These surfactants may be supplied as a 50:50 mixture with ethyl acetate, the latter compound being preferably removed before the surfactant is used in accordance with the present invention.
- Other fluorinated surfactents produced by 3M that may

be mentioned include FC 170c, FC 171 and FC 807. We particularly prefer surfactants which have both a fluorinated portion, especially a perfluorinated portion, and a hydrophilic portion, eg a portion based on an ethylene and/or propylene oxide.

Other fluorinated surfactants which may be mentioned are ethyl perfluorooctylsulphonamide, the linear perfluoropolyether known as Fomblin-M, perfluorodecalin and tris(1H,1H,5H-octafluoropentyl)phosphate. All of these are available from Fluorochem Ltd.

Mixtures of fluorinated surfactants may also be used,
eg mixtures of two or more of the fluorinated surfactants
listed above. Alternatively, mixtures may be used of one
or more fluorinated surfactants with one or more of the
surfactants conventionally used in aerosol compositions, eg
CFC-pressurised compositions. Examples of such
conventional surfactants are: natural oils, sorbitan
oleates, eg monooleate and trioleate, sorbitan monolaurate,
monoglycerides, eg glyceryl monooleate, monostearate and
monolaurate, lecithins, oleic acid, etc.

Other surfactants and adjuvants that may be added include poloxamers and/or polyethylene glycols, eg PEG 1000 and PEG 1500.

In the present context, the term 'hydrofluorocarbon'
25 is to be taken to mean a compound of general formula

1. 野の後 gr **性に関連**の grow selection in egy of 1. American in egy of

# $\mathtt{c_{x^H_yF}_z}$

in which x is an integer from 1 to 3, y+z=2x+2 and y and z are both at least 1.

Particular hydrofluorocarbons of interest are

5 CF<sub>3</sub>CFH<sub>2</sub> (Propellant 134a), CH<sub>3</sub>CHF<sub>2</sub> (Propellant
152a) and CF<sub>3</sub>CHFCF<sub>3</sub> (Propellant 227). We particularly
prefer compositions including propellant 227.

In general the vapour pressure of the mixture should be in the range suitable and permitted for aerosol

10 propellants. The vapour pressure may be varied by mixing one or more hydrofluorocarbons and/or some other suitable vapour pressure modifying agent in appropriate proportions.

We prefer the vapour pressure of the mixture to be in the range 20 to 100 psi, more preferably 40 to 80 psi, eg about 60 psi.

The amount of surfactant in the composition will generally be from about 0.01 to 10% by weight, more preferably from about 0.1 to 5%, eg about 1%.

The medicament may be in solid, particulate form (ie the composition may be a suspension), or the active ingredient may be dissolved in the propellant.

Medicaments which may be dispersed in the propellant mixture according to the invention include any medicaments which are conventionally administered by inhalation of a pressurised aerosol formulation. Such medicaments include

9

drugs for use in the prophylactic or remedial treatment of reversible obstructive airways disease, eg drugs such as sodium cromoglycate, nedocromil sodium, inhaled steroids, eg beclomethasone diproprionate, fluticosone and tipredane, and bronchodilators, eg salbutamol, reproterol, terbutaline, fomoterol, pirbuterol, isoprenaline, salmeterol, fenoterol and salts thereof, and anticholinrgic agents such as ipratropium bromide and atropine.

Where the active ingredient is solid, it preferably 10 has a particle size distribution such that a high proportion of the particles are of a size capable of penetrating deep into the lung. In particular, the active ingredient is preferably in a form having a mass median diameter of from 0.1 to 10  $\mu$ m, more preferably from 0.1 to 4  $\mu$ m, eg about 2 or 3 $\mu$ m.

We prefer the medicament to have a mass median diameter in the range 0.01 to 10 microns, more preferably from 1 to 5 microns. The composition preferably comprises from 0.01 to 15, preferably from 0.1 to 10, and most preferably from 0.5 to 5% w/w medicament.

In producing the compositions according to the invention, a container equipped with a valve is filled with a propellant containing the finely-divided medicament. The container may first be charged with a weighed amount of medicament which has been ground to a predetermined

- 9 -

particle size, or with a slurry of powder in the cooled liquid propellant. The container may alternatively be filled by introducing powder and propellant by the normal cold filling method, or a slurry of the powder in one component of the propellant may be placed in the container, the valve sealed in place, and the balance of the propellant then introduced by pressure filling through the valve nozzle. As a further alternative a bulk quantity of the total composition may be filled into the container through the valve.

The invention will now be illustrated, but in no way limited, by the following Example.

#### Example

ï

Compositions of the were prepared by cold filling of the ingredients into aluminium aerosol canisters which were then sealed by crimping a  $50\mu l$  or  $100\mu l$  aerosol valve in place.

The following combinations of micronised active ingredient, surfactant and propellant were used, removing solvent from the surfactant where necessary:

1.	Nedocromil	sodium	0.200g
	FC 431		0.061g
	Propellant	134a	11.979a

J.

	2.	Tipredane	0.100g
		FC 431	0.071g
		Propellant 227	13.949g
5	3.	Sodium cromoglycate	0.200g
		FC 430	0.061g
		Propellant 134a	11.979g
	4.	Sodium cromoglycate	0.200g
10		FC 430	0.071g
		Propellant 227	13.849g
	5.	Nedocromil sodium	0.200g
		FC 430	0.061g
15		Propellant 134a	11.979g
	6.	Nedocromil sodium	0.200g
		FC 430	0.071g
		Propellant 227	13.849g
20			
	7.	Salbutamol sulphate	0.040g
		FC 431	0.061g
		Propellant 134a	12.139g

25

PCT/GB91/00133

- 11 -

8. Fenoterol hydrobromide 0.040g
FC 430 0.071g
Propellant 227 14.009g

In all cases stable suspensions of the active ingredient in the propellant were obtained.

10

WO 91/11173

Ŷ

15

20

25

#### Claims

- A pressurised aerosol composition comprising a liquified hydrofluorocarbon propellant containing substantially no non-hydrofluorocarbon solvent, having dispersed therein a medicament and a fluorinated surfactant.
  - 2. A composition according to claim 1, wherein the surfactant is a non-ionic surfactant.
- 3. A composition according to claim 1 or 2, wherein the surfactant contains at least one (CF<sub>2</sub>) group.
  - 4. A composition according to any one of claims 1, 2 or 3, wherein the surfactant contains one or more ether or carboxylic ester linkages.
- 5. A composition according to any one of the preceding claims, wherein the surfactant contains at least one (CH<sub>2</sub>) group.
- 6. A composition according to any one of the preceding claims, wherein the composition includes an additional surfactant selected from poloxamers and polyethylene 20 glycols.
  - 7. A composition according to any one of the preceding claims, wherein the propellant is  $CF_3CFH_2$ ,  $CH_3CHF_2$ ,  $CF_3CHFCF_3$  or mixtures thereof.
- 8. A composition according to any one of the preceding claims, wherein the medicament is sodium cromoglycate,

- 13 -

nedocromil sodium, beclomethasone diproprionate,
fluticosone, tipredane, ipratropium bromide, atropine or a
brochodilator selected from salbutamol, reproterol,
terbutaline, fomoterol, pirbuterol, isoprenaline,

- 5 salmeterol, fenoterol or a salt of any one thereof.
  - 9. A composition according to any one of the preceding claims, comprising from 0.01 to 10% by weight of fluorinated surfactant.
- 10. A composition according to any one of the preceding claims, comprising from 0.01 to 15% w/w medicament.

15

ŝ

20

25

## INTERNATIONAL SEARCH REPORT

International Application No PCT/GB 91/00133

I. CLASS	IFICATION	OF SUBJECT MATTER (if several classifie	cation symbols apply, indicate ail) 6	
		el Patent Classification (IPC) or to both Natio	nal Classification and IPC	
		K 9/12, 9/72	•	
II. FIELDS	SEARCHE	Minimum Document	ation Searcharl 7	
Classification	on System		Classification Symbols	
IPC <sup>5</sup>		A 61 K		
		Documentation Searched other th to the Extent that such Documents	ian Minimum Documentation are included in the Fields Searched <sup>8</sup>	
W 200				
Category *		n of Document, 11 with indication, where appr	opriate, of the relevant passages 12	Relevant to Claim No. 13
				, , , , , , , , , , , , , , , , , , , ,
P,X	wo,	A, 9007333 (RIKER LA 12 July 1990 see abstract; page 2 line 4; page 4, line line 26; claims 1,5,	2, line 28 - page 3 2 1 - page 6,	1-5,7,9,10
х	us,	A, 4352789 (THIEL) 5 October 1982 see abstract; column column 3, line 50; column 4, line 16; column 6, line examples 11,23-26; column 6	column 3, line 61 - column 5, lines es 21-38;	1-5,8-10
Y	cit	ed in the applicatior 	1	6,7
			./.	
"A" doc cor "E" ear filis "L" doc wh cite "O" doc oth "P" doc	cument definir saidered to be filer document ng date cument which ich is cited to atlon or other cument referri ner means cument publis er than the pri	of cited documents: 19  ing the general state of the art which is not of particular relevance but published on or after the international may throw doubte on priority claim(s) or o establish the publication date of another special reason (es epecified) ing to an oral disclosure, use, exhibition or hed prior to the international filling date but ority date claimed	"T" later document published after to priority date and not in conflicted to understand the principl invention  "X" document of particular relevant cannot be considered novel or involve an inventive step  "Y" document of particular relevant cannot be considered to involve document is combined with one ments, such combination being in the art.  "A" document member of the same	ct with the application but e or theory underlying the ce; the claimed invention cannot be considered to ce; the claimed invention an inventive step when the or more other such docu- physicus to a person skilled
	FIFICATION	opistion of the international Search	Date of Mailing of this International Sc	arch Reserv
23r	d Apri	1 1991	2 1. 06. S	
Internation	nal Searching	/ \\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\	Signature of Authorized Officer	V weift
	EUROPE	AN PATENT OFFICE	Attiling Wyand	er Drift

. --- -----

	TUMENTS CONSIDERED TO BE RELEVANT (CONTINUED FROM THE SECON		<del></del>
ategory *	Citation of Document, 11 with indication, where appropriate, of the relevant pass	ages	Relevant to Claim No.
Y	US, A, 4174295 (BARGIGIA et al.) 13 November 1979 see abstract; column 2, line 58 - column 3, line 3; column 3, lines 8-15; column 3, lines 44-50; column lines 26-40; example 7; claim 1	n 5,	6,7
A	US, A, 3490923 (B.J. EISEMAN et al.) 20 January 1970 see the whole document		1-10
	*******		
	•		
Ì			

# ANNEX TO THE INTERNATIONAL SEARCH REPORT ON INTERNATIONAL PATENT APPLICATION NO.

GB 9100133

SA 44267

This annex lists the patent family members relating to the patent documents cited in the above-mentioned international search report. The members are as contained in the European Patent Office EDP file on 04/06/91

The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO-A- 9007333	12-07-90	None	
US-A- 4352789	05-10-82	None	
US-A- 4174295	13-11-79	DE-A- 27365Q0 FR-A,B 2361454 GB-A- 1529429 JP-A- 53040693 NL-A- 7708731	16-02-78 10-03-78 18-10-78 13-04-78 15-02-78
US-A- 3490923	20-01-70	None	